

UPDESK

raise your standard



Fundamental Solutions for Office & Home
www.updesk.com



*"We believe your space shouldn't define you,
you should define your space."*

~ UpDesk

Reinvention. It's a term loaded with possibilities. It means there's a new way of doing something that's been done one way for a long time. It means there's a fresh take on a standard idea. It means you're not locked into one way of being, and being part of a reinvention is easy motivation to get out of bed in the morning.

At UpDesk, we really like this word. We like it because, in some ways, we're reinventing ourselves. Our parent company has been in the business of making desks and other supplies for the healthcare industry for 40 years, but one day we realized there was an opportunity to reinvent some of our products to help a lot more people stand up and become healthier, more productive versions of themselves.

We also want to reinvent the working environment for the millions of people who currently sit at a desk daily. We're literally sitting ourselves to death, but transferring several of those sitting hours to standing hours helps productivity and overall health. That's a reinvention of the work environment we're all about.

So, here we are, encouraging people to stand more, do more, and be more healthy and productive. It's a daunting reinvention, and we don't think it will come easily or quickly. We just want people to raise their standards...one desk at a time.



Fundamental Solutions for Office & Home

PowerUps *(starting at \$899)*

ELECTRIC HEIGHT ADJUSTMENT

- Gently curved front edge keeps everything within easy reach (30" max. front-to-back).
- Standard height range: 26.5" to 42.5" (greater range option is available).
- Programmable control switch.
- Dual motors offer 300-lb weight capacity.
- 5-year limited warranty.



MAPLE/PLATINUM
Available widths:
48", 60", 72"



MAHOGANY/BLACK
Available widths:
48", 60", 72"



BLACK/BLACK
Available widths:
48", 60", 72"



ORANGE/BLACK
Limited Edition width:
60"

CrankUps *(starting at \$649)*

MANUAL CRANK HEIGHT ADJUSTMENT

- Gently curved front edge keeps everything within easy reach (30" max. front-to-back).
- Standard height range: 26.5" to 42.5"
- Light-Touch hand crank with storage clip.
- Precision geared for smooth lifting.
- Easy-Lift offers 225-lb weight capacity.
- 5-year limited warranty.



MAPLE/PLATINUM
Available widths:
48", 60"




BLACK/BLACK
Available widths:
48", 60"

Available Accessories

- Monitor supports.
- Anti-fatigue floor mats.
- Desk lamps.
- Chairs & stools.
- Cable management.
- Surge protection.
- CPU holders.

Customization

- Other laminate colors available.
- Other desk sizes and shapes available.
- Call or email to discuss your needs.



contents

fusion ergo desks

2-13

workstations

14-17

monitor supports

18-19

area accessories

20-25

laptop solutions

26-27

dept workspaces

28-33

digital support carts

34-35

chairs & seating

36-39

cross reference index on page 40

copyright 2013, techno-aid, inc., all rights reserved.

F.U.S.I.O.N

BLENDING BODY, WORK & MOTION

Sit-to-Stand Height Adjustable Ergonomic Desks

The blueprint to comfort and efficiency begins with a design that fits your needs. Techno-Aide's **F.U.S.I.O.N** line of ergonomic furniture solutions features:

- height adjustable desks
- broad range of standard configurations
- customized work surfaces
- design services to optimize your space



In case you want to know:



standard programmable switch



Crank handle is removed and stored when not in use.



Divided Surface Lift (DSL)

The DSL provides an extended work surface that can be raised or lowered from the primary desk surface, to position the front work surface at the optimal level for each unique user.

Desks shown with the DSL include the desk base, specially cut desktop, the DSL worksurface and the DSL mechanism.

The DSL mechanism is easily adjusted and locked with one lever, so no electricity is required.

For specially cut corner desks, the DSL must be part of the initial order. However, if you have a work surface with an undivided desktop and wish to replace that with a DSL desktop in the future, a new desktop with DSL can be ordered and mounted onto your existing base unit.

Primary Work Surface

The Primary Work Surface can be raised or lowered in order to position the desktop at the optimal level for each unique user.

There are two basic types of elevating mechanisms that operate within the structural steel support posts: **electric** and **manual crank**.

The **electric lift** allows the user to raise and lower the desktop with the simple push of a button. A nearby 120VAC outlet is all that is required.

The **crank lift** allows the user to easily raise and lower the desktop with the EZ-Crank knob conveniently located on the desktop. The two benefits with choosing the crank are that no electricity is required and the crank desktop provides all the function of the electric model at significant cost savings.

Ergonomic Desk Features

All desks presented in this catalog include the base as listed (electric or manual crank) and the work surface as shown.

The standard color is black base with a matte black desktop and trim, but other choices are available as shown on page 19. Custom designs and custom colors may also be available.

Upgrades for many models may include:

- deluxe programmable digital display controllers;
- locking casters: packaged set of four to add mobility to most desks;
- USB outlet for easy peripheral access.

In addition, this book also includes many optional accessories such as: articulating monitor supports, keyboard supports, CPU holders, a complete line of ergonomic seating, laptop accessories and carts, presentation carts, and other useful items for today's technology driven workplace.




Divided Surface Lift



Divided Surface Lift

Making your ergonomic workstation work for You



10 TIPS FOR AN ERGONOMIC WORKSTATION:

1. Place the monitor directly in front of and centered about the user.
2. Place the monitor at a distance of more than 16" from the user with the viewing angle between 0 to negative 18 degrees.
3. Keep CPU within arm's reach but off of the work surface.
4. Place work surface at a height that allows legs to fit comfortably underneath with feet flat on the floor. Use a footrest if needed.
5. Keyboard should be located at a height that allows the worker to key with the upper arms hanging relaxed from the shoulders.
6. Keyboard should have a slight negative tilt.
7. Elbows should be roughly at right angles to allow the wrists to be fairly straight.
8. Place the pointing device (mouse) at the same height as the keyboard and as close to the keyboard as possible.
9. Always maintain contact with backrest of chair to minimize back discomfort.
10. Take 20-second to 2-minute rest breaks between regularly scheduled breaks.


Increase productivity, reduce fatigue, and enhance ergonomic safety in every office and workstation.

What can we build for you?

Call us or send us a sketch of your proposed work station or work environment and we will work with you to provide you with a superior, effective, and customized solution.

Customization considerations include:

- Standard 2-stage electric lift system.
- Extended height 3-stage electric lift system.
- Standard 2-stage crank lift system.
- Custom size work surfaces.
- Custom work surface colors and textures.



Custom Desks:
from your sketch,
through our engineering,
to your office, get exactly
what you need to meet
your specific requirements.

Work Surfaces

Table tops can be ordered in various standard sizes. Special laminates or sizes can be quoted separately. Set-up charges may apply. Please contact us for a quote. (Standard color options are on page 13.)

Custom Color

Custom colors are available with with a special quote for 10 or less tables of the same color. Special charges may be waived for orders of 11+ tables in the same color. Lead Time is a minimum of 8 weeks. An additional upcharge may apply for special finishes.

Electric Lift Controllers

Every Electric Lift Table comes with a Programmable Controller. An upgrade Deluxe Programmable controller is also available. The standard Programmable Controller allows three pre-set heights to be set into the memory of the switch. The Deluxe Programmable Controller allows three different users to pre-set three different heights per user. This can be especially useful when one user wants one height for sitting, one height for standing, and one height for matching another work surface.

ADA

The Americans with Disabilities Act requires wheelchair accessible tables with work surfaces to have approximately 26"- 42" height clearance and 30" width clearance.

Monitor Arms

All adjustable tables can accept the monitor arms shown in this catalog, as well as many from other suppliers. Grommet-mount monitor arms require a 2 1/2" round hole. Clamp-mount monitor arms clamp from the back side of the table. Independent adjustment of the monitor is a critical ergonomic factor (pages 18-19).

Keyboard Supports

Most adjustable work tables can accept a keyboard support system. It may not be necessary to order a keyboard support on a work table that includes a Divided Surface Lift (page 21).

Glides & Casters

All feet come with threaded leveling glides for easy on-site adjustment. In addition, a set of four (4) locking casters are available for most work tables (page 13).



Warranty & Cancellation

The Limited Lifetime Warranty for the ergonomic furniture means that your system is covered against defects in materials and workmanship. If a problem occurs with your system as a result of normal use, please contact us immediately. This warranty is limited to providing a replacement system or a refund for replaced product or other reasonable remedy at the discretion of the manufacturer. If an order is canceled once received, cancellation fees may apply.

Contour Front

Electric lift, height-adjustable desk.


The contour front is designed to keep all of the desk surface within easy reach from any position. This desk is usually placed against a flat wall.



Divided Surface Lift (DSL)

cat.#	Length x Depth
ZLCD-E	60" - 96"* x 36"
	(lengths in 12" increments)

* (84" and 96" desks have a 60" wide DSL surface.)



Undivided Surface

cat.#	Length x Depth
ZLCU-E	60" - 96" x 36"
	(lengths in 12" increments)

WORK SURFACE:

- Laminated solid surface with high endurance PVC edging.
- Top is supported by a heavy duty frame that offers generous leg room.
- Models with the Divided Surface Lift (DSL) have 11³/₄" adjustment range: 6" above and 5³/₄" below the work surface with +9/-15° tilt.
- Custom sizes available; please call for quote.
- **Color choices are on page 13.**




ELECTRIC BASE:

- Includes 3-position programmable controller.
- 27" adjustment range: 24.5" - 51.5" (at 1.7"/sec).
- Load capacity: 300 lbs.
- Requires less than 3amps of power.
- Locking casters available.
- Limited Lifetime Warranty.



Straight Front

Electric lift, height-adjustable desk.
The straight front is designed to resemble a standard desk and is usually placed against a flat wall.



Divided Surface Lift (DSL)

cat.#	Length x Depth
ZLSD-E	48"- 96"* x 30" (lengths in 12" increments)

*(84" and 96" desks have a 72" wide DSL surface.)

Undivided Surface

cat.#	Length x Depth
ZLSU-E	48"- 96" x 30"-36" (in 12" increments)

WORK SURFACE:

- Laminated solid surface with high endurance PVC edging.
- Top is supported by a heavy duty frame that offers generous leg room.
- Models with the Divided Surface Lift (DSL) have 11³/₄" adjustment range: 6" above and 5³/₄" below the work surface with +9/-15° tilt.
- Custom sizes available; please call for quote.
- **Color choices are on page 13.**

ELECTRIC BASE:



- Includes 3-position programmable controller.
- 27" adjustment range: 24.5" - 51.5" (at 1.7"/sec).
- Load capacity: 300 lbs.
- Requires less than 3amps of power.
- Locking casters available.
- Limited Lifetime Warranty.



Multi-System

Electric lift, height-adjustable desk.

The multi-system is designed to support two-to-three separate viewing or computer systems. This desk is usually placed against a flat wall.



Multi-System

cat.#	Length x Depth
ZLMS-E	60"- 96" x 36"
	(lengths in 12" increments)

WORK SURFACE:

- Laminated solid surface with high endurance PVC edging.
- Top is supported by a heavy duty frame that offers generous leg room.
- Models with the Divided Surface Lift (DSL) have 11³/₄" adjustment range: 6" above and 5³/₄" below the work surface with +9/-15° tilt.
- Custom sizes available; please call for quote.
- *Color choices are on page 13.*



ELECTRIC BASE:

- Includes 3-position programmable controller.
- 27" adjustment range: 24.5" - 51.5" (at 1.7"/sec).
- Load capacity: 300 lbs.
- Requires less than 3amps of power.
- Locking casters available.
- Limited Lifetime Warranty.




Wedge Contour

Electric lift, height-adjustable desk. The wedge and wave are designed for easy access to the entire desk surface. These desks can be placed in a corner or against a flat wall.



Wedge Contour

cat.#	Left & Right Wings are Equal
ZWCF-E	60" x 60" or 72" x 72" (DSL is 60" wide)



Wave Contour

cat.#	Length x Depth
ZWWV-E7736	77" x 36"

WORK SURFACE:

- Laminated solid surface with high endurance PVC edging.
- Top is supported by a heavy duty frame that offers generous leg room.
- Models with the Divided Surface Lift (DSL) have 11³/₄" adjustment range: 6" above and 5³/₄" below the work surface with +9/-15° tilt.
- Custom sizes available; please call for quote.
- *Color choices are on page 13.*



ELECTRIC BASE:

- Includes 3-position programmable controller.
- 27" adjustment range: 24.5" - 51.5" (at 1.7"/sec).
- Load capacity: 300 lbs.
- Requires less than 3amps of power.
- Locking casters available.
- Limited Lifetime Warranty.




Corner View

Electric lift, height-adjustable desk. The corner view is designed to keep all of the desk surface within easy reach from any position. This desk is usually placed in a corner.



Divided Surface Lift (DSL)

cat.#	Left Wing x Right Wing
ZCVD-E	60" - 96" x 60" - 96" (30" wing depth) (wing lengths in 12" increments)



Undivided Surface

cat.#	Left Wing x Right Wing
ZCVU-E	60" - 96" x 60" - 96" (30" wing depth) (wing lengths in 12" increments)

WORK SURFACE:

- Laminated solid surface with high endurance PVC edging.
- Top is supported by a heavy duty frame that offers generous leg room.
- Models with the Divided Surface Lift (DSL) have 11³/₄" adjustment range: 6" above and 5³/₄" below the work surface with +9/-15° tilt.
- Custom sizes available; please call for quote.
- *Color choices are on page 13.*

ELECTRIC BASE:



- Includes 3-position programmable controller.
- 27" adjustment range: 24.5" - 51.5" (at 1.7"/sec).
- Load capacity: 300 lbs.
- Requires less than 3amps of power.
- Locking casters available.
- Limited Lifetime Warranty.



Multi-Purpose Extension


Electric lift, height-adjustable desk.

The multi-purpose extension is designed to support one-to-two separate viewing or computer systems. This desk can be placed in a corner or against a flat wall.



Left Extension

cat.#	Desk Length x Left Extension
ZMPE-EL	60" - 96" (30" deep) x 48" - 72" (24" wide) (lengths in 12" increments)



Right Extension

cat.#	Desk Length x Right Extension
ZMPE-ER	60" - 96" (30" deep) x 48" - 72" (24" wide) (lengths in 12" increments)

WORK SURFACE:

- Laminated solid surface with high endurance PVC edging.
- Top is supported by a heavy duty frame that offers generous leg room.
- Models with the Divided Surface Lift (DSL) have 11³/₄" adjustment range: 6" above and 5³/₄" below the work surface with +9/-15° tilt.
- Custom sizes available; please call for quote.
- **Color choices are on page 13.**



ELECTRIC BASE:

- Includes 3-position programmable controller.
- 27" adjustment range: 24.5" - 51.5" (at 1.7"/sec).
- Load capacity: 300 lbs.
- Requires less than 3amps of power.
- Locking casters available.
- Limited Lifetime Warranty.




Double Drives

Electric lift, dual-height-adjustable desks. The double drives are designed with two desk surfaces, each having its own independent electric lift mechanisms for perfect adjustment and efficiency.



Contour Front Double

cat.#	Length x Depth
ZDCF-E7236	72" x 36"



Straight Front Double

cat.#	Length x Depth
ZDSF-E	48"- 96" x 30" (lengths in 12" increments)

WORK SURFACE:

- The front and rear surfaces each have their own motorized lift mechanisms and controllers for independent height adjustment.
- Two laminated solid surfaces with high endurance PVC edging.
- Top is supported by heavy duty frame that offers generous leg room.
- Custom sizes available; please call for quote.
- *Color choices are on page 13.*





ELECTRIC BASES:

- Each surface includes 3-position programmable controller.
- 27" adjustment range: 24.5" - 51.5" (at 1.7"/sec).
- Load capacity: 300 lbs per surface.
- Requires less than 3amps of power.
- Locking casters available.
- Limited Lifetime Warranty.



Double Drives

Electric lift, dual-height-adjustable desks. The double drives are designed with two desk surfaces, each having its own independent electric lift mechanisms for perfect adjustment and efficiency.



Left Extension

cat.#	Desk Length x Left Extension
ZDME-EL	60"- 96" (30" deep) x 48"- 72" (24" wide) (lengths in 12" increments)

Right Extension

cat.#	Desk Length x Right Extension
ZDME-ER	60"- 96" (30" deep) x 48"- 72" (24" wide) (lengths in 12" increments)

Multi-System Double

cat.#	Length x Depth
ZDMS-E	60"- 96" x 36" (lengths in 12" increments)

WORK SURFACE:

- The front and rear surfaces each have their own motorized lift mechanisms and controllers for independent height adjustment.
- Two laminated solid surfaces with high endurance PVC edging.
- Top is supported by heavy duty frame that offers generous leg room.
- Custom sizes available; please call for quote.
- **Color choices are on page 13.**

ELECTRIC BASES:

- Each surface includes 3-position programmable controller.
- 27" adjustment range: 24.5" - 51.5" (at 1.7"/sec).
- Load capacity: 300 lbs per surface.
- Requires less than 3amps of power.
- Locking casters available.
- Limited Lifetime Warranty.



Manual Crank Lift

Manual crank lift, height-adjustable. The manually adjustable lifts are designed as economical alternatives to the electric lifts and can be used where power supply is limited.



Straight Front Desk

Manual Lift

cat.#	Length x Depth
ZLSU-C	48" - 60" x 30" (lengths in 6" increments)



Contour Front Desk

Manual Lift

cat.#	Length x Depth
ZLCU-C	48" - 60" x 30" (lengths in 6" increments)

MANUAL CRANK DESKS

WORK SURFACE:

- Laminated solid surface with high endurance PVC edging.
- Heavy duty frame that offers generous leg room.
- Custom sizes available; please call for quote.
- **Color choices are on page 13.**

MANUAL CRANK BASE:

- EZ-Crank mechanism fluidly raises and lowers desk.
- 16" adjustment range: 26½" - 42½".
- Load capacity: 225 lbs.
- Requires no power.
- Locking casters available.
- Limited Lifetime Warranty.

Pedestal Workstations

Single column, height-adjustable workstations.

The pedestal workstations are designed to fit where full sized desks cannot or in high foot-traffic areas.



Rectangular Pedestal

Electric Lift

cat.#	Length x Depth
ZPSH-E4224	42" x 24"
ZPSH-E4824	48" x 24"



90° Corner Pedestal

Electric Lift

cat.#	Length x Depth
ZPCV-E41090	41" x 24"
ZPCV-E47090	47" x 24"

ELECTRIC PEDESTAL DESKS

WORK SURFACE:

- Laminated solid surface with high endurance PVC edging.
- Desktop shapes: rectangle or 90° corner.
- All dimensions are reduced by 1" on three sides for safety clearance.
- Custom sizes available; please call for quote.
- Limited Lifetime Warranty.
- **Color choices are on page 13.**

ELECTRIC PEDESTAL DESK:

- Electric lift includes a programmable controller.
- 19" adjustment range: 26" - 45".
- Load capacity, electric lift: 150 lbs.

F.U.S.I.O.N.

height-adjustable desk color options

Custom colors are available!

Desktop Surface Laminate



Example: #ZDCF-E7236

- Desktop: mahogany
- Base: black
- Trim: black



black



gray mist



maple



wild cherry



mahogany



graphite



twilight



desert



canyon



cavern



carbon



nickel



silicon



tungsten



rare earth

Frame Support Color



black



aluminum



Default Colors:

- Desktop: black
- Frame: black
- Edging: black

Desktop Edge Band



black



gray



Locking Casters

#ZAC3-KE (includes 4 casters)

- Set of four 3" locking casters.
- Changes desks into mobile platforms.
- Easy installation; can be retrofitted.
- Not recommended for three-legged desks.



Extension Monitor Arms

- Double-jointed horizontal movement
- Track-slide height adjustment

- Components can be easily relocated along support post.
- Includes: 1-31½" wall mount vertical track
 - 1-extension arm keyboard tray
 - 1-75mm/100mm VESA swivel mount
- Models with CPU Holder include an additional 31½" track (for 63" total) and CPU holder.

Single View Extension Arm Wall Mount

#ZEVW-ES21



Dual View Extension Arm Wall Mount

#ZEVW-ES22



Single View Extension Arm Wall Mount w/ CPU

#ZEVW-ET31



Dual View Extension Arm Wall Mount w/ CPU

#ZEVW-ET32



Mobile Option

#ZTMW-MO

- Any wall unit on these two pages can be converted to a mobile system.
- Mobile Option includes:
 - 1-steel post
 - 1-stabilizer H-base
 - 1-cable channel
 - 4-locking casters
 - 1-filler panel for fitting a non-CPU wall system.



(Preconfigured mobile systems are shown on page 16.)

Convert any Wall Workstation on these 2 pages into a Mobile Platform with our **NEW Mobile Option!**



#ZTMW-MO + #ZEVW-ET32 = Example Set-Up

Articulating Monitor Arms

- Omni-directional movement
- Dynamic height adjustment

- Components can be easily relocated along support post.
- Includes: 1-31½" wall mount vertical track
 - 1-extension arm keyboard tray
 - 1-75mm/100mm VESA swivel mount
- Models with CPU Holder include an additional 31½" track (for 63" total) and CPU holder.

Single View Articulating Arm Wall Mount

#ZEVW-AS21



Dual View Articulating Arm Wall Mount

#ZEVW-AS22



Single View Articulating Arm Wall Mount w/ CPU

#ZEVW-AT31



Dual View Articulating Arm Wall Mount w/ CPU

#ZEVW-AT32



Flip-Up Wall Mount

#ZEVW-SS21

- All components can be easily relocated along the vertical support post.
- Wall Mount System includes:
 - 1-31.5" wall mount vertical track
 - 1-FLIP-UP Keyboard tray
 - 1-75mm/100mm VESA swivel mount
 - All components slide independently

Flip-Up Wall Mount w/CPU

#ZEVW-TS31

- Same as above, but includes additional 31.5" track (for 63" total) and CPU holder.



Keyboard tray folds up
and out of the way!



Mobile Workstations w/ Extension Arms

Same as the Extension Wall Workstations on page 14, but with an all-steel mobile base.

Mobile Workstation includes:
 1-integrated workstation
 1-steel post (total ht.: 67")
 1-stabilizer H-base
 1-cable channel
 4-locking casters
 1-optional filler panel.

Single View Extension Arm Mobile Workstation

#ZTMW-ES21



Dual View Extension Arm Mobile Workstation

#ZTMW-ES22



Single View Extension Arm Mobile Workstation w/ CPU

#ZTMW-ET31



Dual View Extension Arm Mobile Workstation w/ CPU

#ZTMW-ET32



Mobile Workstation

#ZEMW-M500

- Self-contained cart for desktop PC or laptop.
- Platform height adjustment: 28" to 41".
- Includes CPU holder and fixed height monitor mount.
- Five-star base with two locking casters.
- Detachable palm rest.
- Weight capacity: 20 lbs.



Mobile Workstation

#ZEMW-M750

- Same as the ZEMW-500, but also includes:
- Slide-out keyboard tray.
- Printer/utility shelf.



Mini-Max

#ZEMS-LGTV

- Supports 32" to 52" LCD screens.
 - Mount LCD at various heights from 47.2" to 63".
 - Bracket adjustment width: 4" to 23.6".
 - Overall size: 32.3"w x 65"h x 24.4"d.
 - Peripheral shelf size: 21.7"w x 13.8"d.
 - Accommodates different LCD mounting patterns.
 - Enclosed cable management.
 - Four heavy duty casters (two locking).
 - Weight capacity: 110 lbs.
- (No other accessories are available for this unit.)



Mobile Max Workstation

The Mobile Max Workstation is designed with an extra wide base (48" x 28") to provide stability for supporting large format monitors (32" to 61") and multiple standard monitors (1 to 3) on a mobile platform.



Select one of two base units:

#ZBMM-72SM
(200x200 & 200x100 VESA
mount for 32" to 46" monitors)

#ZBMM-72XL
(large format universal VESA
mount for 42" to 61" monitors)



**Additional Monitor Supports
in 75mm/100mm VESA standard**
(base unit with post ordered separately)

cat.#	mounts	arm type	
ZBMM-MS1P	1	pivot	
ZBMM-MS1S	1	swing arm	
ZBMM-MS1X	1	extension arm	
ZBMM-MS2B	2	31" beam	
ZBMM-MS3B	3	42" beam	

Includes
"large format"
monitor mount
(monitor not
included)

All Mobile Max base units include:
1-72" post rail
1-48" x 28" extra wide mobile base
4-locking casters
1-push handle
1-large format monitor support
(monitor not included)

48" x 28" extra wide base
offers superior stability!

(Components not compatible
with any other series.)
(Computer equipment not included)

Accessories

cat.#	description	
ZBMM-AGKT	keyboard shelf	
ZBMM-AGUS	utility shelf	
ZBMM-AMCH	CPU holder	
ZBMM-AGCB	cable bin	



Single Monitor Extension Arm



#ZEMS-SF21

- Double-joint extension arm.
- 5"-24" extension range.
- 17" height range.
- Monitor weight capacity: 17½-lb. max.
- Pivot/tilt/rotate monitor.
- Clamp mount.

Dual Monitor Extension Arm

#ZEMS-SF22

Double capacity of ZEMS-SF21 shown to the left.



Triple Monitor Extension Arm

#ZEMS-SF23

Triple capacity of ZEMS-SF21 shown above.



Quad Monitor Extension Arm

#ZEMS-MF24

Four times capacity of ZEMS-SA21 shown above.



Six Monitor Extension Arm

#ZEMS-MF26

six times capacity of ZEMS-SF21 shown above.



Add-On Vertical Slide Adjuster

#ZEMS-AAMS

- Allows a monitor to be adjusted 5" above to 5" below the mount.
- Attached to standard monitor VESA bracket.



Single Monitor/Keyboard Combo

#ZEMS-MC21

- Double-joint extension arm.
- 5"-24" extension range.
- 17" height range.
- Monitor weight capacity: 17½-lb. max.
- Pivot/tilt/rotate monitor.
- Includes gel palm rest.
- Clamp mount.



Dual Monitor/Keyboard Combo

#ZEMS-MC22

- Similar to the ZEMS-MC21 Single Monitor Combo shown to the left, but accommodates two monitors.



Single Monitor Articulating Arm



#ZEMS-SA21

- Articulating gas spring directional adjustment.
- 24" extension range.
- 13" height range.
- Monitor weight range: 7-lb. min./20-lb. max.
- Pivot/tilt/rotate monitor.
- Clamp mount.

Dual Monitor Articulating Arm

#ZEMS-SA22

Double capacity of ZEMS-SA21 shown to the left.



Heavy-Duty Articulating Arm

#ZEMS-HDA1

- Articulating gas spring directional adjustment.
- 4"-24" extension range.
- Monitor weight range: 17½-lb. min./33-lb. max.
- Pivot/tilt/rotate monitor.
- Clamp mount.



Dual Heavy-Duty Articulating Arm

#ZEMS-HDA2

- Similar in style to the ZEMS-HDA1 to the left.
- Supports two monitors on a single gas spring articulating arm.
- Total COMBINED Weight capacity is 33-lbs.



MAX-Duty Articulating Arm

#ZEMS-MXA1

- Articulating gas spring directional adjustment.
- 4"-26" extension range.
- Monitor weight range: 17-lb. min./42-lb. max.
- Pivot/tilt/rotate monitor.
- Clamp mount.



Dual MAX-Duty Articulating Arm

#ZEMS-MXA2

- Similar to the ZEMS-MXA1 to the left.
- Supports two monitors on a single gas spring articulating arm.
- Total COMBINED Weight capacity is 40-lbs.



Economy Articulating Arm

#ZEMS-SV21

- Articulating gas spring directional adjustment.
- 21" extension range.
- 13" height range.
- Monitor weight range: 6½-lb. min./17½-lb. max.
- Pivot/tilt/rotate monitor.
- Clamp mount.



Dual Economy Articulating Arm

#ZEMS-SV22

- Similar to the ZEMS-SV21 to the left.
- Supports two monitors on independent gas spring articulating arms.
- Total COMBINED Weight capacity is 35-lbs.



Wall Mount Monitor Support

#ZEMS-WA21

- Articulating gas spring directional adjustment.
- 24" extension range.
- 13" height range.
- Monitor weight range: 7-lb. min./20-lb. max.
- Pivot/tilt/rotate monitor.
- Wall mount.



Wall Mount Laptop Holder

#ZELA-WALT



- 24" vertical wall track.
- Unique shuttle provides 7½" of easy-touch arm height adjustment.
- Fits laptops with a diagonal measurement from 12"-15½".
- 3-piece extension arm.
- Adjustable brackets hold laptop firmly in place.
- Universal laptop clamps.



Retractable LCD Monitor Mount

#ZEMS-WAXR

- Supports 37" to 46" screens.
- Retracts to 8.7" and extends to 21.5".
- Swings 160° left or right.
- Screen pivots +/-15°.
- Bracket adjustment width: 4" to 31.5".
- Overall size: 33.8"w x 20.3"h.
- Weight capacity: 110 lbs.
- Includes screen-to-mount safety latch.



Non-Retractable LCD Mount

#ZEMS-WFXP

- Supports 37" to 65" screens.
- Screen pivots +/-15°.
- Bracket adjustment width: 4" to 31.5".
- Overall size: 33.8"w x 19.7"h x 4"d.
- Weight capacity: 176 lbs.
- Includes screen-to-mount safety latch.



Laptop Articulating Arm

#ZELA-SALH

- Articulating gas spring directional adjustment.
- 24" extension range.
- 13" height range.
- Laptop weight range: 6-lb. min./18-lb. max.
- Pivot/tilt/rotate bracket.
- Clamp mount.



Laptop/Monitor Combo Arm

#ZELA-VLMC

- Similar to the ZELA-SALH Laptop Arm shown to the left, but includes brackets to mount both a laptop and a monitor on independent arms at the same time.



Universal CPU Holder

#ZEDA-CPUU

- Stores CPU underneath work surface.
- Features easy-access slide and swivel action.
- Adjustable width: 2 1/2" to 8 1/4".
- Adjustable height: 13" to 21".
- 100 lb weight capacity.

Mobile CPU Caddy

#ZEDA-CPUC

- Stores CPU above the floor for easy access.
- Fits any CPU within a 3 1/2"-8 3/4" width.

Clamp CPU Holder

#ZKUH-CL (standard non-locking)

#ZKUH-LK (with security lock)

- Save valuable workspace and protect CPU.
- Fits CPU: 15"-23"h x 4 3/4"-8 1/2"w x any depth.
- 18" track and 360° swivel for easy access.
- Securely clamps CPU into position.
- 75 lb weight capacity.

(CPUs not included)



Universal
CPU Holder



CPU
Caddy

Clamp CPU Holder Non-Locking



Clamp CPU Holder with Security Lock



Lift and Lock Keyboard Support

- Lift and Lock height adjustment.
- 7" height adjustment on 21" track:
2 1/2" above and 4 1/2" below the surface.
- 15° +/- tilt and 360-degree swivel.
- Mouse surface can be mounted
on either side.
- Integrated gel palm rest.

#ZEKS-KS07



Extended Reach Keyboard Support

- Lift and Lock height adjustment.
- 16" height adjustment on 24 3/4" track:
8" above and 8" below the surface.
- 15° +/- tilt and 360-degree swivel.
- Mouse surface can be mounted
on either side.
- Integrated gel palm rest.

#ZEKS-KX16



Value Engineered Keyboard Support

- Spring assisted height adjustment.
- 6 1/4" height adjustment on 17" track:
1 1/4" above and 5" below the surface.
- 15° +/- tilt and 360-degree swivel.
- 25" wide platform accommodates keyboard
and mouse.
- Integrated gel palm rest.

#ZEKS-KE06



Keyboard Supports are
not necessary on desks
with the DSL.

Cable Clip

#ZACM-SC

- Holds multiple cables out of the way.
- Cables can be placed between clips or inside clips for a more secure hold.
- Easily installs to the underside of desk.



Cable Pouch

- Serves as both a cable management pouch and a modesty panel.
- Fabric bag holds shape with metal rod inserts.
- Solid fabric provides modesty panel.
- Mounts easily under any work surface with screws.
- 10" high x length of choice.

(24" version) #ZACM-P24

(36" version) #ZACM-P36

(60" version) #ZACM-P60



Cable Management Systems

Surge Protection Power Cable with Cord Winder

#ZACM-CW

- Seven (7) outlets in one convenient power strip.
- Surge protected and UL/CSA approved.
- Winder keeps excess cable up and safely out of the way.
- 25-foot power cord provide access to almost any location.



Surge Protection Power Cable with Mounting Bracket

#ZACM-CB

- Seven (7) outlets in one convenient power strip.
- Surge protected and UL/CSA approved.
- Bracket lets you mount the strip almost anywhere.
- 25-foot power cord provide access to almost any location.



The Amazing Power Grommet

#ZACM-PG

- Amazing multi-device connectivity station.
- Wiring and components are UL Listed.
- Surge protection at 900 joules with circuit breaker.
- Rated for 110-130VAC, 60Hz, 10A, 1250Watts max.
- Fits 2³/₈" to 2³/₄" diameter grommet holes.
- *Grommet hole must already be in the desk!*

Topside features:

- Lighted on/off switch with built-in circuit breaker.
- (2) 110-130VAC outlets.
- (1) USB 2.0 upstream port.
- (4) USB 2.0 downstream ports.
- (1) RJ45 ethernet jack.
- (1) RJ11 telephone jack.

Underside features:

- 6-foot grounded power cord.
- (1) RJ45 ethernet jack.
- (1) RJ11 telephone jack.
- (1) USB 2.0 upstream port (secondary: feeds all topside USB ports).



Underside



Top



Side



Adjustable Footrest

#ZEDA-FR03 (platform rests 3" from floor.)

- Ideal for people who cannot rest feet on the floor.
- Sliding platform allows ankle flexion and extension.
- Durable, polished chrome metal frame.



Laptop Locker

#ZELA-LPLD

- Theft deterrent locking drawer.
- Soft foam on the front of the drawer provides wrist support.
- Cord management slots in the back.
- Vented for laptop cooling.
- 16" ball bearing slides.
- 16" w x 16" d x 2" h.
- Supports up to 11 lbs.



Laptop Locker should not be mounted on desks with the DSL.

Cupholder

#ZADA-CP

- Holds cups, mugs, and square bottles!
- Desk edge clamp mount.
- All-metal construction.



Pencil Drawer

#ZADU-PD

- Four small compartments and one large provide space for most everyday storage needs.
- EZ-Slide ball bearing glides for smooth travel.
- All mounting hardware is included.
- Surpasses ANSI/BIFMA standards.



Pencil Drawers may not fit on desks with the DSL.

Combo Copy/Telephone Support

#ZADA-CS

- Desk edge clamp mount.
- Gooseneck arm holds tray in any position.
- Adjust flat for lightweight phones.
- Hook & loop included for securing phone.
- Adjust upright for papers.
- Lower lip keeps booklets open.



Flexi-Lamp

#ZKDL-FFL

- 20-watt halogen lamp.
- 25" gooseneck arm conveniently allows lamp to be adjusted into virtually any position for direct or ambient light.
- Glass UVB filter enclosure.
- 3" x 3" compact shade.
- 6" tip resistant base.
- 9-foot power cord.


Shines UP or DOWN for Ambient or Direct Light!



Hi-Lo Lamp

#ZKDL-FHL

- Three stage rocker switch (hi/low/off).
- 50-watt halogen lamp.
- Unique parabolic shade with positioning handle.
- 22" adjustable steel arm.
- Color correct lighting.



Flying Saucer Lamp

#ZELD-DTFS

- Efficient 3-watt LED lamp.
- 11³/₄" gooseneck arm.
- 3300K color temperature.
- Small profile.
- Lightweight.
- 7-foot power cord.



Fold-Away Lamp

#ZELD-FLDX

- Dual arms (13" and 14") on a fully articulating joint.
- 360° rotation on the base.
- Four energy efficient LEDs.
- 6.5-watt LED with 4-step dimming.
- 3200-3700K color temperature.
- Lightweight aluminum slim design.
- 6-foot power cord.



Light Wand II

#ZELD-DTLW2

- 6-watt LED lamp.
- Built-in USB charging port.
- Adjustable light intensity with continuous dimming switch.
- Lamp head rotates 350°.
- 4100K color temp.
- Lamp life: 50,000 hours.



Highlighter-LE

Daisy-Chain LED Underlight System

- Sleek and stylish undercabinet LED lighting.
- Order as stand-alone lights or multi-unit daisy-chain systems.
- High-tech touch sensitive on/off control.
- 3500K color temperature.
- Light bar rotates 180°.
- Handsome brushed silver finish.
- 9-foot power cord.
- Daisy-chain configurations include the specified number of lights and 48" jumper cord.
- Mounting hardware and cord clips included.



SINGLE UNITS*

cat.#	wattage	length	price
ZELU-LE24	12.5	23"	
ZELU-LE36	17.0	29"	
ZELU-LE48	21.5	35"	

DAISY-CHAIN UNITS*

cat.#	units/chain	style	
ZELU-D242	2-unit chain	LE24	
ZELU-D243	3-unit chain	LE24	
ZELU-D244	4-unit chain	LE24	
ZELU-D362	2-unit chain	LE36	
ZELU-D482	2-unit chain	LE48	

*Single units do not include the jumper cords. To create a daisy chain of multiple lights, please order the daisy chain units that contain all the necessary parts for multiple light installations.



Highlighter-FL

Underlight Fluorescent

- Encased fluorescent lamps mount under the desk surface or shelf for ambient lighting.
- On/off rocker switch.
- Electronic ballasts.
- Prismatic lens for light distribution.
- 6400K color temperature.
- Metal housing with black finish.
- 9-foot power cord.
- Includes additional outlet for daisy-chain capability.
- Mounting hardware and cord clips included.



cat.#	wattage	length	
ZELU-FL24	13	22"	
ZELU-FL36	24	24"	
ZELU-FL48	39	35"	

Go-Anywhere Laptop Cart

#ZBLM-MC



Pop-Up Laptop Cart

#ZBLM-PB
(black)

#ZBLM-PM
(mahogany)



LAPTOP CART (gas spring height adjustment):

- Portable stand with ample room for a keyboard or laptop.
- Easily moves where you need to work.
- Footring controls a pneumatic gas spring that raises the top from 20" to 30".
- Includes angled laptop shelf and two removable mousepad/cupholders.
- Top is light gray with black vinyl wrist rest.
- Frame is black powder coated steel.
- Ships UPS/FedEx @ 38#.

LAPTOP CART (gas spring height adjustment):

- Portable stand with ample room for a keyboard or laptop.
- Easily moves where you need to work.
- Hand lever controls a pneumatic gas spring that raises the top from 21 $\frac{1}{4}$ " to 31 $\frac{1}{4}$ ".
- Top is available in black or mahogany laminate.
- 5-star base with easy rolling 2" casters.
- Ships UPS/FedEx @ 23#.

Tilt-Top Laptop Cart

#ZBLM-100

- Keep your laptop handy wherever you are.
- Variable height stand adjusts from 28" to 40".
- Black powder coat steel frame.
- Includes casters (two locking).
- Ships @ 20#.



Height and Tilt
Adjustments
for BOTH
Tilt-Top Carts

Tray: 18"w x 14"d
Angle: 45° to -45°



Full Support Tilt-Top Laptop Cart

#ZBLM-150

- All in one support for the laptop on the go.
- Includes platforms for peripherals and supplies.
- Variable height stand adjusts from 27" to 39".
- Includes casters (two locking).
- Ships @ 34#.



Laptop Conversion Tray

#ZELA-VALS

- Converts any monitor mount to a laptop holder.
- Fits laptops with a diagonal measurement from 12" to 15½".
- Adjustable brackets hold laptop firmly in place.
- Universal laptop clamps.



Laptop Articulating Arm

#ZELA-SALH

- Articulating gas spring directional adjustment.
- 24" extension range.
- 13" height range.
- Laptop weight range: 6-lb. min./18-lb. max.
- Pivot/tilt/rotate bracket.
- Clamp to edge of desk.



Laptop Locker

#ZELA-LPLD

- Theft deterrent locking drawer.
- Soft foam on the front of the drawer provides wrist support.
- Cord management slots in the back.
- Vented for laptop cooling.
- 16" ball bearing slides.
- 16"w x 16"d x 2"h.
- Supports up to 11 lbs.



Laptop Locker should not be mounted on desks with the DSL.



Laptop Mobile Command

#ZBMW-LMC

Locking Laptop Workstations!



- Mobile locking cabinet for securing laptops and other devices.
- 7" locking lid on top.
- One 20" x 12½" retractable shelf.
- Two 20" x 17" stationary shelves.
- Bottom space has std. 19" IT rack brackets (18.344" centers x 14½" high).
- Black laminate cabinet (assembly required).
- Includes surge protector.
- Overall dimensions: 25" x 25" x 45".
- Command ships @ 130#.



Locking Laptop Charging Stations



10-Bay Cart
#ZBLC-10



20-Bay Cart
#ZBLC-20

- Keep 10 or 20 laptops secure and fully charged with two models of locking charging stations.
- Locking doors fold back and stay open with magnets for easy loading and unloading.
- UL/CSA approved electrical outlet on each shelf.
- One main power cord on 10-bay cart; two main power cords on 20-bay cart (recommended that each power cord be plugged in to separate circuits).
- Includes 4" heavy duty casters (two locking).
- Finished with white laminate panels.
- 10-bay ships @ 140# / 20-bay ships @ 232#.

AV Podiums

Items on this page are best considered for use in these areas (see bold italics):
training room / conference room /
 reception area / office / breakroom



Mobile AV Podium

#ZDWA-GB (gray & black)

#ZDWA-TB (teak & black)



- Versatile and compact AV Podium in one mobile unit.
- Overall dimensions: 18"w x 30"d x 40 1/4"h.
- 18"w x 14"d laptop shelf is height adjustable from 19" to 39 1/2" to accommodate sitting or standing.
- Power coat steel frame with high pressure laminate shelves.
- Includes 3" casters (two locking).
- Ships @ 46#.

Optional Locking Cabinet

#ZDWA-GX (gray)

#ZDWA-TX (teak: shown)



Adjustable Height AV Podium

#ZDWA-HA

- Ideal for office or training room.
- Variable height from 41 1/2" to 47 1/4".
- Laptop shelf can be extend outward.
- Bottom shelf is for other peripherals.
- Ships @ 34#.



Fixed Height AV Podium

#ZDWA-FH

- Compact mobile presentation center.
- Fix height at 38 1/2" to 44 1/4".
- Shelves are 24" x 18" and 24" x 14".
- Includes CD rack and CPU rack.
- Ships @ 44#.



Presentation Carts

Items on this page are best considered for use in these areas (see bold italics):
training room / conference room /
 reception area / office / breakroom



Closed Shelf Presentation Center

C#ZDWC-CLC

- Lecturn, projector and document cabinet in one.
- Locking doors provide security for valuable work and documents.
- Unique slide-out, locking shelf can be used with a document camera for multimedia presentations.
- Includes a four-outlet electrical assembly with surge protector.
- Primarily designed for standing or use with a stool.
- Overall dimensions: 30"w x 18"d x 45"h.
- Ships @ 140#.



Open Shelf Presentation Center

#ZDWC-CLO

- Lecturn and projector cabinet in one.
- Open shelf design makes locating and arranging materials quick and easy.
- Primarily designed for standing or use with a stool.
- Overall dimensions: 30"w x 18"d x 45"h.
- Ships @ 104#.



Mobile Presentation Center

#ZDWC-MBP

- Tilts back and rolls like a dolly for easy storage.
- Locking double doors provide equipment security when not in use.
- Retractable shelf puts a laptop or keyboard in easy reach.
- Middle shelf adjusts to three positions.
- Handy bottom drawer provides extra storage.
- Overall dimensions: 23½"w x 17"d x 41½"h.
- Includes a 20" x 16" flip-up shelf mounted on the side.
- Ships @ 102#.

Lecterns & Podiums

Items on this page are best considered for use in these areas (see bold italics):
training room / conference room /
 reception area / office / breakroom

Streamline Podium

#ZDWL-BT



- Upscale and modern design.
- Light gray top with brushed silver powder coat steel base.
- Convenient storage shelf underneath top.
- Includes 3" casters (2 locking).
- Overall dimensions: 25"w x 24"d x 44³/₄"h.
- Ships @ 36#.



Tilt-Top Height Adjustable Podium

#ZDWL-TA

- Tilt top with padded wrist rest.
- Black top with black powder coat steel base.
- For laptops or keyboards.
- Includes 2" casters (2 locking).
- Variable height dimensions: 22¹/₂"w x 18"d x 27"-43"h.
- Ships @ 25#.



Fixed Height Sound Powered Lectern

#ZDWL-SP



- Lectern with built-in, full-power sound system.
- System includes:
 - 50-watt amplifier (can reach audiences up to 2000),
 - Wireless microphone,
 - four-speaker system with asthetic cover,
 - LED light is included.
- Features an attractive natural cherry laminate.
- Includes recessed casters (2 locking).
- Lectern dimensions:
 - Fixed height model: 22"w x 17"d x 42¹/₂"h,
 - Adjustable height model: 22"w x 17"d x 42¹/₂"h-52¹/₂"h.
- Fixed height ships @ 66# / Height adjustable ships @ 76#.

Adjustable Height Sound Powered Lectern

#ZDWL-HA



(Amplifier and casters shown)



(Speakers shown)



(10" height adjustment with convenient gas spring)



Message Boards

Items on this page are best considered for use in these areas (see bold italics):
training room / conference room / reception area / office / breakroom



EZ-Riter™ Dry-Erase Board

- Ideal for planning, scheduling, messages, diagrams, etc.
- Subtle silver GRID, visible only up close, enables easy line & chart drawing.
- PVC coated steel provides exceptional dry-erase surface.
- Magnetic sheet is laminated to moisture resistant 1/4" MDF.
- Full length marker tray comes with plastic end caps.
- Anodized aluminum frame comes with plastic corner caps.
- Includes one set of dry-erase markers.
- Crating and removable polyfilm coating assures safe delivery.
- Ten-Year Warranty.

cat.#	h x l	ships @	
ZDWM-DE48	33 3/4" x 48"	20#	
ZDWM-DE72	48" x 72"	48#	
ZDWM-DE96	48" x 96"	60#	



Slim-Line Dry-Erase Board

- Dry-Erase board is a quick and easy way to post current information.
- Slim-Line style hangs vertically or horizontally.
- Ideal for small workspaces, doorways and aisles.
- Two interior panels provide a total of six surfaces.
- Magnetic surface can be used to hold notes, memos and schedules.
- Wall-mounting hardware is included.

cat.#	h x l	ships @	
ZDWM-SL24	24" x 8 1/2"	5#	



Dry Erase Markers

Cat.# ZBDE-4M

- Optimized for best results.
- Set of 4 (R,B,G,Blk).



Dry Eraser

Cat.# ZBDE-ER

- Gives a clean, dust-free finish.



Rubber-Tak™ Bulletin Board

- Ideal for reports, messages, displays, etc.
- Manufactured from high-density 100% recycled rubber.
- Unmatched durability and resiliency.
- Longer lasting than cork; self-healing and non-porous.
- Textured surface will not show pinholes for years of service.
- Resists moisture, mold, mildew, bacteria and chemicals.
- Neutral black/gray colors are framed in anodized aluminum.
- Stain resistant and easy to maintain.

cat.#	h x l	ships @	
ZDWM-BB72	48" x 72"	66#	
ZDWM-BB96	48" x 96"	88#	

Utility Carts

Items on this page are best considered for use in these areas (see bold italics):
training room / conference room /
 reception area / **office / breakroom**



Steel TV/AV Cart
 #ZDWU-TV

- Supports CRT TVs up to 36" diagonal.
- Includes UL/CSA approved 4-outlet power strip.
- Black powder coat steel frame.
- Moves on 4" casters (two locking).
- Overall dimensions: 38"w x 31"d x 44"h.
- Ships @ 96#.

Steel Utility Cart
 #ZDWU-TT (open frame)

#ZDWU-TC (with cabinet)

- Available in 3-shelf open frame or lockable cabinet models.
- Includes UL/CSA approved 4-outlet power strip.
- Black powder coat steel frame.
- Moves on 4" casters (two locking).
- Overall dimensions: 24"w x 18"d x fixed height between 26"-42"h.
- Open frame ships @ 49#, Cabinet frame ships @ 64#.



Multi-Cart Kit
 #ZDWU-MK

Build any one of the carts below from this one kit!

- Six potential carts in one; you build the one which best suits your specific needs.
- Adjustable to four heights: 16", 24", 34", or 42".
- Includes removable wall panels.
- Includes UL/CSA approved 4-outlet power strip.
- Constructed of high-impact, injection molded plastic.
- Moves on 4" casters (two locking).
- Size: 24"w x 18"d x fixed height between 16"-42"h.
- Kit ships @ 35#.



Printer/Fax Stands

Items on this page are best considered for use in these areas (see bold italics):
training room / conference room /
 reception area / **office / breakroom**



Dot Matrix/Laser Cart
 #ZDWP-DM

- Accommodates any type of printer or fax machine.
- Middle shelf slides 2".
- Wire tray provides paper storage or matrix paper feed.
- 2" casters (two locking).
- Overall dimensions: 30"w x 38"d x 33"h.
- Ships @ 59#.

Multi-Purpose Cart
 #ZDWP-MP

- Use as a printer/fax cart or as a stand-up workstation.
- Retractable shelf can be mounted high or low and slides in and out 18".
- 3" casters (two locking).
- Overall dimensions: 25¹/₈"w x 20"d x 42¹/₂"h.
- Ships @ 46#.



Enclosed Printer/Fax Cart
 #ZDWP-EC

- Enclosed cabinet keeps supplies clean and organized.
- Includes shelves and wire basket on door.
- Constructed of light gray, scratch-resistant laminate.
- Moves on 2" casters (two locking).
- Overall dimensions: 17¹/₂"w x 17¹/₂"d x 26⁵/₈"h.
- Ships @ 55#.

Desktop Printer Stand

#ZDWP-PP

- Saves desktop space.
- Keeps paper organized.
- Includes four casters.
- Ships @ 18#.



Printer/Small Fax Stand

#ZDWP-PM

- Saves desktop space.
- Keeps paper clean and organized.
- Stylish, contemporary design.
- Ships @ 8#.



Digital Support Cart



18" and 24" Wide Base with Laminate Top for CR readers, digitizers, viewers, monitors, keyboards, and other support or mobile equipment.

Also available
in Neutral Tone
Gray!

DIGITAL SUPPORT CARTS

- Two sizes of carts (not including the tops):
 - 18"wide x 20"deep x 38¹/₄"tall,
 - 24"wide x 20"deep x 38¹/₄"tall.
- Three interior configurations:
 - open shelf over large shelf w/dividers,
 - large shelf w/dividers over open shelf,
 - three open shelves.
- Height of open shelf is 9".
- Height of shelf w/dividers is 20".
- Height of three open shelves: 9"/10"/9".
- Widths of 18" cart divided spaces are 3"/3"/12".
- Widths of 24" cart divided spaces are 6"/6"/12".
- Four sizes of laminate tops (choose the best for your application).
- All carts feature three cable holes in the back at each shelf level.
- Laminate top includes a hole for adding the DSM-MCP monitor mount.

TOP "A"
20"wide x 22"deep top
on a 18"wide cart

Compatible suggestions:
- Vidar Sierra Plus
- Radlink LaserPro 16
- LogicRad
- AllPro Imaging SCAN12
- Protec ProScan35



#DSC-1812A

TOP "C"
25"wide x 25"deep top
on a 24"wide cart

Compatible suggestions:
- Vidar Diagnostic ProAdvantage
- Kodak DryView 5800/5850
- Fuji DryPix 2000
- Konica/Minolta DryPro 832
- Codonics® Horizon



#DSC-2412C

TOP "B"
25"wide x 25"deep top
on a 18"wide cart

Compatible suggestions:
- Vidar Diagnostic ProAdvantage
- Kodak DryView 5800/5850
- Fuji DryPix 2000
- Konica/Minolta DryPro 832
- Codonics® Horizon



#DSC-1812B

TOP "D"
30"wide x 30"deep top
on a 24"wide cart

Compatible suggestions:
- Kodak DryView 5800/5850
- Array 2905
- AllPro ScanX 14
- Agfa CR30 / Quantum CR30
- Kodak CR120/140/260/500
- Sony Filmstation



#DSC-2412D

Monitor & Combo Supports for 18" or 24" Carts

#ZEMS-SF21DM

(carts must be ordered separately)

#ZEMS-MC21DM



- Post mounts into a hole in the cart's top.
- Height adjusts with a locking lever.
- Includes standard VESA mount.
- Carts ordered separately.



TOP "E"
36"wide x 21"deep top
on a 24"wide cart

Compatible suggestions:
- iCRCO 612SI/2000SL
- Agfa DryStar 5300
- AllPro ScanX 14
- iCRCO ICR3600



#DSC-2412E



NEW!



TECHNOLOGY STATIONS

- One-Touch height adjustment with smooth and stable double-sealed gas cylinder.
- Height range: 33"-45"
- Integrated cable management system.
- Two models: CPU or Laptop.
- Two styles: with or without Drawers.
- Pull-out keyboard with mouse bin.
- Keyboard is independently height adjustable.
- Easy-clean anti-microbial surfaces.
- Superior stability due to low center of gravity.
- Wheelbase allows easy passage through doors.
- Easy-track medical grade, rubber tread casters.
- These carts are NON-POWERED. Powered Options are available.



#ZETS-LTDR
Laptop
w/ drawer



#ZETS-LTXD
Laptop
w/o drawer



#ZETS-PCDR
PC
w/ drawer



#ZETS-PCXD
PC
w/o drawer

HÅG Capisco™



The chair with the unique saddle seat!

(Footring not shown in photos.)

Sit in comfort with support from any direction.



HÅG Capisco™

- Available with or without back; with or without footring.
- Balanced Movement Mechanism™ includes: pneumatic height adjustment, seat & back tilt as a unit, backward tilt tension, two-position tilt lock, seat depth and back height adjustment.
- Unique embedded footpads integrated into base.
- Meets or exceeds ANSI/BIFMA standards; Limited Lifetime Warranty.

Capisco™ Chair (seat height: 16"-21½")

cat.#	feature	grade 2	grade 4	leather
ZICP-MMS	no footring			
ZICP-RMS	footring			

Capisco™ Stool (seat height: 22½"-32")

cat.#	feature	grade 2	grade 4	leather
ZICP-SMS	no footring			
ZICP-LMS	footring			

Fabrics
page 39

Discovery™

Prevents Scapular Impedance and Promotes Healthy Posture



#ZODC-FA (with arms)
#ZODC-FX (without arms)

- Health assisting back is 8"-16"w x 22"h.
- Pneumatic lift seat height: 18"-23".
- Overall height: 40"-49".
- EZ back height adjustment.
- Contoured and padded seat.
- Tilt base and sliding seat for comfort.
- Five-star caster base.
- 12-year limited warranty.
- (Black only) Ships @ 47#.





#ZOM5-MA

OM5™ The Chair with INTUITION!

*Sit Up or Lean Back:
Intuitive Mechanism follows
your Body Movement and
Automatically Holds Position!*



OM5™

- Self-weighting chair that intuitively responds to a wide range of body weights and sizes without the need for manual tension or tilt adjustments.
- Exclusive Poly Flex back slats with contouring mesh support.
- Mesh back: Zodiac Mesh offers breathability for comfortable sitting.
- Overall height: 37"-42", seat height: 16"-21".
- Button adjustable arms with 3" height range.
- Weight capacity: 250-lbs.

Fabrics
page 39

Champion™ High-Tech Comfort



mesh back shown

Champion™

- Hyperbolic mesh contours to body types; reduces fatigue.
- Innovative shell creates flex zones to support user's back.
- Mesh back: interwoven mono/multi-filament Elastomer.
- Upholstered back: full back pad replaces mesh.
- Overall height: 34³/₄"-41¹/₄".
- Button adjustable arms with 3" height range.
- Internal back height adjustment of 2¹/₂".

cat.#	style	fabric	
ZSCH-MM2	Champion	Mesh Back w/ Grade 2 seat	
ZSCH-MM4	Champion	Mesh Back w/ Grade 4 seat	
ZSCH-MML	Champion	Mesh Back w/ Leather seat	





YES™

The Perfect blend of support, comfort, and style.



#ZOYS-MX (without arms)
#ZOYS-MA (with arms)

Comfort Seating is ideal for Workstations, Conference Rooms or everyday tasks.

Fabrics
page 39



Derby™

Perennial best seller due to comfort and longevity.



#ZSDE-MS



Ribbon™

Side/Guest Chair



#ZSRB-SN

YES™

- Features contoured lumbar area and mesh-back comfort.
- Three-stage locking tilt.
- Synchronous seat/back tilt.

Derby™

- Popular and affordable task chair.
- Mid-back height: 20".
- Outer back shell of high impact black polypropylene.

Ribbon™ Side Seating

- 7/8" black tubular steel frame.
- Can be stacked for easy storage.
- Affordable (four chair minimum order).

[Additional options are available. Call to inquire.]

Premium, Comfort & Utility Seating SPECS

model	back	mechanism	arms	base	set up	warranty
Discovery	mid	swivel/tilt	ht. adj.	black nylon	no	FF-5/life
OM5	mid	intuitive	ht. adj.	black nylon	no	FF-5/life
Champion	high	multi-task	ht. adj.	black nylon	yes	FF-5/life
YES	mid	swivel/tilt	ht. adj.	black nylon	no	FF-5/life
Derby	mid	swivel/tilt	ht. adj.	black nylon	no	FF-5/life
Ribbon	small	n/a	fixed	black 4-leg	yes	10 years
Derby Stool	small	independent	none	black nylon	no	FF-5/life

- **Swivel/tilt:** pneumatic height adjustment, internal back height adjustment, 360° swivel, seat & back tilt as one unit, heavy-duty tension adjustment.
- **Multi-task:** same as swivel/tilt, PLUS: forward tilt with tilt lock, back adjusts independently of seat with infinite lock.
- **Independent:** pneumatic height adjustment, internal back adjustment, 360° swivel, seat & back adjust independently with infinite lock, forward tilt.
- **Warranty:** FF-5/life = foam & fabric 5-years/all other parts lifetime.



Fabrics
below

Derby™ Stool
#ZSDS-SI



Universal Stool
#ZBCH-USB

Derby™ Stool

- Popular and affordable quality.
- Counter height comfort work solution; small back.
- Overall height: 36½"-49½"; seat height: 20"-31".
- Choose upholstery option.

Universal Stool

- Self-skinned urethane seat & back (black only).
- Pneumatic lift adjusts seat from 22" to 32".
- Height adjustable footring / height adjustable back.

Perch™ Standing Stool

- Self-skinned polyurethane seat supports 275-lbs.
- Pneumatic lift adjusts seat from 26" to 36½".
- Concealed handle for height adjustment.

Hover Sit-to-Stand

- Sit while standing helps alleviate lower back stress.
- Pneumatic lift adjusts seat from 22" to 32".
- Seat tilts forward 20° for sit-to-stand support.
- Self-skinned polyurethane seat & back (black only).



Perch Standing Stool
#ZYPS-SS



Hover Sit-to-Stand
#ZOWS-15



Seating Upholstery

(Many other fabrics are available!)

Grade 2 Fabric



black



pewter



sapphire



garnet



hunter green

Grade 4 Fabric



onyx



chocolate



indigo



crimson



harvest

Leather



coal



slate



deep blue



maroon



tan



Example: #ZICP-SMS
Upholstery: sapphire

A		D con't		L		P con't	
Articulating monitor arms.....19		pedestal12		Lamps24-25		Presentation boards, dry erase ...31	
AV podiums28		Desktop monitor supports.....18-20		Laptop:		Presentation carts29	
B		Digital support carts.....34-35		carts26-27		Printer/fax stands.....33	
Bulletin boards31		Dry erase boards and cabinets ...31		charging station27		S	
C		E		drawer27		Seating36-39	
Cable management.....22		Electric desks4-11		desk supports20		Stools39	
Casters.....13		Extension arm monitor supports..18		locker27		Surge protectors22	
Chairs.....36-39		F		wall mount.....20		T	
Charging cart, laptop.....27		Fax stands33		LCD supports.....17, 20		Technology Stations35	
Colors charts:		Flat screen supports.....17, 20		Lecturns.....30		Telephone support23	
chairs39		Flip-up keyboard workstations15		Lighting.....24-25		U	
desks13		Footrest.....23		M		Utility carts32	
CPU holders21		H		Manual desks12		W	
CR-support carts34		Holders:		Mobile workstations16-17		Wall mount workstation14-15	
Cup holder23		copy23		Monitor supports18-19		Workstations:	
D		cup23		Multi-Direction Monitor Supports19		mobile16-17	
Desks4-13		telephone.....23		P		wall mount14-15	
Desks types:		K		Pedestal Desks.....12			
colors13		Keyboard Supports21		Pencil drawer23			
electric.....4-11				Podiums28			
manual12				Power cords.....22			
				Power grommet.....22			

Cat.#	Page No.	ZCVD-E	8	ZEKS-KE06	21	ZEMW-M750	16
DSC-18XXX	34	ZCVU-E	8	ZEKS-KS07	21	ZETS-LTDR	35
DSC-24XXX	34	ZDCF-E	10	ZEKS-KX16	21	ZETS-LTXD	35
ZAC3-KE	13	ZDME-E	11	ZELA-LPLD	23	ZETS-PCDR	35
ZACM-CB	22	ZDMS-E	11	ZELA-SALH	20	ZETS-PCXD	35
ZACM-CW	22	ZDSF-E	10	ZELA-VALS	27	ZEVS-AXXX	15
ZACM-P24	22	ZDWA-FH	28	ZELA-VLMC	20	ZEVS-EXXX	14
ZACM-P36	22	ZDWA-HA	28	ZELA-WALT	20	ZEVS-SS21	15
ZACM-P60	22	ZDWA-GB	28	ZELD-DTFS	24	ZEVS-TS31	15
ZACM-PG	22	ZDWA-GX	28	ZELD-DTLW2	24	ZICP-XXXX	36
ZACM-SC	22	ZDWA-TB	28	ZELD-FLDX	24	ZKDL-FFL	24
ZADA-CP	23	ZDWA-TX	28	ZELU-DXXX	25	ZKDL-FHL	24
ZADA-CS	23	ZDWC-CLC	29	ZELU-FLXX	25	ZKUH-CL	21
ZADU-PD	23	ZDWC-CLO	29	ZELU-LEXX	25	ZKUH-LK	21
ZBCH-USB	39	ZDWC-MBP	29	ZEMS-AAMS	18	ZLCD-E	4
ZBDE-4M	31	ZDWL-BT	30	ZEMS-HDA1	19	ZLCU-C	12
ZBDE-ER	31	ZDWL-HA	30	ZEMS-HDA2	19	ZLCU-E	4
ZBLC-10	27	ZDWL-SP	30	ZEMS-LGTV	17	ZLMS-E	6
ZBLC-20	27	ZDWL-TA	30	ZEMS-MC21	18	ZLSD-E	5
ZBLM-100	26	ZDWM-BB72	31	ZEMS-MC21DM	34	ZLSU-E	5
ZBLM-150	26	ZDWM-BB96	31	ZEMS-MC22	18	ZMPE-E	9
ZBLM-MC	26	ZDWM-DE48	31	ZEMS-MF24	18	ZODC-FA	36
ZBLM-PB	26	ZDWM-DE72	31	ZEMS-MF26	18	ZODC-FX	36
ZBLM-PM	26	ZDWM-DE96	31	ZEMS-MXA1	19	ZOM5-MA	37
ZBMM-72SM	17	ZDWM-SL24	31	ZEMS-MXA2	19	ZOWS-15	39
ZBMM-72XL	17	ZDWP-DM	33	ZEMS-SA21	19	ZOYS-MA	38
ZBMM-AGCB	17	ZDWP-EC	33	ZEMS-SA22	19	ZOYS-MX	38
ZBMM-AGKT	17	ZDWP-MP	33	ZEMS-SF21	18	ZPCV-EXXXX	12
ZBMM-AGUS	17	ZDWP-PM	33	ZEMS-SF21DM	34	ZPSH-EXXXX	12
ZBMM-AMCH	17	ZDWP-PP	33	ZEMS-SF22	18	ZSCH-XXX	37
ZBMM-MS1P	17	ZDWU-MK	32	ZEMS-SF23	18	ZSDE-XXX	38
ZBMM-MS1S	17	ZDWU-TC	32	ZEMS-SV21	19	ZSDS-XXX	39
ZBMM-MS1X	17	ZDWU-TT	32	ZEMS-SV22	19	ZSRB-XXX	38
ZBMM-MS2B	17	ZDWU-TV	32	ZEMS-WA21	20	ZTMW-MO	14
ZBMM-MS3B	17	ZEDA-CPUC	21	ZEMS-WAXR	20	ZWCF-E	7
ZBMW-LCP	26	ZEDA-CPUU	21	ZEMS-WFXP	20	ZWWV-E7736	7
ZBMW-LMC	26	ZEDA-FR03	23	ZEMW-M500	16	ZYPS-SS	39

Fundamental Solutions for Office & Home



WEBSITE



7117 Centennial Blvd.
Nashville, TN 37209 USA

P: 800.251.2629 • 615.350.7030
F: 800.554.6275 • 615.350.7879

www.updesk.com

whatsup@myupdesk.com



eBOOK

"The Complete Guide
to Breaking Up with
Your Desk"